

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO.

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR 09/692,926 10/20/2000 Douglas J. Cowell 00-5019 8386 EXAMINER 32127 7590 03/08/2005 VERIZON CORPORATE SERVICES GROUP INC. AGDEPPA, HECTOR A C/O CHRISTIAN R. ANDERSEN ART UNIT PAPER NUMBER 600 HIDDEN RIDGE DRIVE MAILCODE HQEO3H14 2642 IRVING, TX 75038

DATE MAILED: 03/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
		09/692,926	COWELL ET AL	COWELL ET AL.	
	Office Action Summary	Examiner	Art Unit		
		Hector A. Agdeppa	2642		
Period fo	The MAILING DATE of this communication Reply	on appears on the cover shee	t with the correspondence a	nddress	
THE - Exte after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICAT nsions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communicate period for reply specified above is less than thirty (30) day to period for reply is specified above, the maximum statutory are to reply within the set or extended period for reply will, by the original period for reply will be a patent term adjustment. See 37 CFR 1.704(b).	FION. CFR 1.136(a). In no event, however, matton. s, a reply within the statutory minimum or period will apply and will expire SIX (6) by statute, cause the application to become	ay a reply be timely filed f thirty (30) days will be considered tim MONTHS from the mailing date of this ne ABANDONED (35 U.S.C. § 133).		
Status					
1) 又	Responsive to communication(s) filed or	n 19 January 2005.			
,	· · · · · · · · · · · · · · · · · · ·	This action is non-final.	······································		
3)□	,—				
Disposit	ion of Claims				
5)□ 6)⊠ 7)□	 Claim(s) 1-18 and 20-46 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 1-18 and 20-46 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or election requirement. 				
Applicat	ion Papers				
9)[The specification is objected to by the Ex	aminer.			
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.				
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).				
11)	The oath or declaration is objected to by	the Examiner. Note the attac	ched Office Action or form F	PTO-152.	
Priority ι	under 35 U.S.C. § 119				
a)(Acknowledgment is made of a claim for f All b) Some * c) None of: 1. Certified copies of the priority doce 2. Certified copies of the priority doce 3. Copies of the certified copies of the application from the International	uments have been received. uments have been received i e priority documents have be Bureau (PCT Rule 17.2(a)).	n Application No een received in this Nationa	al Stage	
Attachmen	t(s)				
	e of References Cited (PTO-892)		ew Summary (PTO-413)		
3) 🔲 Infor	e of Draftsperson's Patent Drawing Review (PTO-9 nation Disclosure Statement(s) (PTO-1449 or PTO/ r No(s)/Mail Date	· —	No(s)/Mail Date of Informal Patent Application (PT	ГО-152)	

Application/Control Number: 09/692,926 Page 2

Art Unit: 2642

DETAILED ACTION

1. This action is a non-final rejection of the RCE amendment filed 1/19/2005.

Claims 1, 9, 12, 17, 28, 31, and 42 have been amended. Claims 1 – 18 and 20 – 46 are

pending in this application.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1 and 28 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 28 recites that after a test call generator generates a test call, certain steps are performed and verified. Yet in claim 17, the present invention is claimed to recite that those certain steps are not performed unless a call is NOT a test call. Therefore, claims 1 and 28 seem to be contradicting each other.

Appropriate correction is required or an explanation along with support in the specification is respectfully requested.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2642

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-7, 9-13, 17, 18, 20-26, 31-37, and 39-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,405,033 (Kennedy, III et al.) in view of US 4,757,267 (Riskin) and further in view of US 4,839,916 (Fields et al.) and/or US 5,838,767 (Aoyama).

As to claims 1 – 3, 17, 18, 20 – 22, and 31 - 33, Kennedy et al. teaches a system wherein a user makes a call from a mobile unit 12 to network switching center (NSC) 14, read as the claimed switching control node, to request any one of a number of services, for example, a roadside assistance service and an information service, read as the claimed first and second services. Also note that mobile switching centers (MSCs) 106 and 108 read on the claimed switching node from where a call is initiated. (Figs. 1 and 6, Col. 2, lines 41 – 58, Col. 3, line 61 – Col. 4, line 22, Col. 9, lines 49 – 65, Col. 10, lines 55 – 67)

Art Unit: 2642

Kennedy et al. also teaches that the services have various types, i.e., for roadside services, specifically, towing, taxi/shuttle, car dealership services, etc. and for information services, specifically news agencies, weather bureaus, travel services, etc., any of the aforementioned services read as the claimed type of the first service, second type of the first service, first type of the second service, etc. (Fig. 6, Col. 2, lines 30 – 40)

Lastly, Kennedy et al. teaches that dependant upon what service and service type is requested, the call will be routed to one of a plurality of service centers 16 that can accommodate/provide the requested service. (Col. 1, line 53 – Col. 2, line 29, Col. 4, lines 16 – 21, Col. 11, lines 22 – 42)

Note that while Kennedy et al. teaches as the usual embodiment, pressing a key or button on mobile unit 12 to request a service, see Fig. 10 and Col. 25, lines 31 – 45, wherein it is taught that connection to the various service centers 16 is ultimately made either via a voice/standard telephony number connection or a data connection using web addresses, IP addresses, or 800 numbers as well.

What Kennedy et al. does not teach is matching a trigger number to a predetermined trigger number and requesting selection of various services depending on whether or not the trigger number match up.

However, Riskin teaches a system wherein a caller may call into a directory/service center/routing center using for example, an 800 number that is associated with a certain service/dealer and if the dialed number, i.e., the trigger number matches one of those 800 numbers, a caller will be connected to a service

Art Unit: 2642

center/dealer handling the associated service. (Col. 15, line 55 – Col. 16, line 44 of Riskin)

It would have been obvious for one of ordinary skill in the art at the time the invention was made to have combined the teachings of Kennedy et al. and Riskin inasmuch as both systems are drawn to servicing a call request via a plurality of service centers/call centers. Moreover, Riskin's teaching of a trigger number being "keyed"/associated with a specific service/service center is very old and well known and as already discussed, Kennedy et al. also teaches ultimately connecting to a service/service center using such a number, even though it is not specifically discussed as being such a trigger number. A trigger number as claimed and as taught in the specification, pages 7 – 8 is merely a number that is associated with a specific service/service center and allows for a more direct connection to that service/service center.

Riskin also teaches that if a given 800 number does identify a specific service/service center, an extension is required to further identify the service/service center, the caller wishes to effect or connect to. This is read as the claimed, trigger number not matching the predetermined trigger number and requesting the caller to further pick a type of service so that the service request can be properly identified and routed to the correct service center. (See the above reference cited in Riskin and also see Col. 6, lines 1 – 12 of Riskin).

Lastly, Riskin teaches that if a certain dealer is unavailable for some reason, alternative dealers are provided to the caller to connect to, read as the claimed plurality

Art Unit: 2642

of related types. This is because if a dealer of flowers, for example, is unavailable, another dealer of flowers in the caller's location is provided to the caller. Also, if there are more than one nearby dealers of a certain desired product or service, the caller is presented with the different choices and is allowed to select one. (Col. 2, lines 37 - 58, Col. 3, lines 65 - 67, Col. 4, lines 4 - 11 of Riskin)

What Kennedy et al. nor Riskin teach is determining whether a call is from a test generator and if not, continuing with the above-discussed steps.

However, it is extremely old and well known for systems of any sort to have the ability to detect when a call or action is real or when it is merely a test. Fields et al. and Aoyama teach such systems. (Col. 18, lines 1 – 23 of Fields et al. and Col. 2, lines 18 – m39 of Aoyama) It would have been obvious for one of ordinary skill in the art at the time the invention was made to have implemented such a test call check inasmuch as both Fields et al. and Aoyama teach test call generators for use in testing a telecommunications system. Moreover, just generally, there is amply motivation for the ability to check whether a call is a test call or real. Determining whether or not a call is real would enable a user to save resources for example. Also, if for example, one considers an alarm system that should be tested, it would be desirable for the system to know when an alarm is a test alarm or actual so as not to incur subsequent action from the police or security. Moreover, in terms of statistics-gathering, it would be desirable for a telecommunications systems not to include test calls in actual data. These are simply a few motivations.

Art Unit: 2642

As to claims 4 – 6, 23, 24, and 34 – 36, Riskin teaches that a caller will be connected to one of a plurality of the closest dealers/service centers nearest to the caller, based on the calling number, and associated with either a state, city, zip code, etc. (Col. 2, line 37 – Col. 4, line 11, Col. 6, line 24 – Col. 7, line 8, and Col. 8, lines 13 – 55 of Riskin)

Kennedy et al. also teaches that a service call will be routed to an appropriate service center, depending upon where that mobile unit 12, caller is located. (Col. 2, lines 12 – 21 of Kennedy et al.)

As to claims 7, 9, 37, and 39, Riskin teaches the use of call record journals read as the claimed status log, wherein one of the recorded elements is whether a call was completed or not to a specific dealer, read as the claimed call status. (Col. 17, lines 35 – 55 of Riskin)

Riskin further teaches that if a first dealer cannot be reached, i.e., the dealer is presently busy or is simply not answering, the option is given to the caller of being connected to another dealer. Therefore, the status information is used to determine where subsequent calls will be routed to in the sense that another dealer will be contacted to complete the service request instead. (Col. 8, lines 37 – 67 and Col. 19, lines 32 – 67 of Riskin)

As to claims 11 - 13, 26, and 41 - 43, as seen in both Riskin and Kennedy et al. (see the above noted references and figures), and as is well known in the call center arts, any of the plurality of service centers can be made to be an auxiliary service

Art Unit: 2642

center. Such is a design choice or preference involving merely configuring a system as

desired.

4. Claims 10, 25, and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,405,033 (Kennedy, III et al.), US 4,757,267 (Riskin), and further in view of US 4,839,916 (Fields et al.) and/or US 5,838,767 (Aoyama), and US 5,404,350 (DeVito et al.)

Riskin has been discussed above as teaching that when a no answer or busy call results, a caller will be either automatically connected to another "near" dealer or will be given the option to connect to that other "near" dealer. The no answer or busy condition could be the result of a network error, and when such a condition is met, rerouting the call to another dealer, read as the claimed auxiliary service center is done.

Also, it is old and well known to have redundant systems wherein if one service center is detected as having a network fault condition associated therewith, transferring or rerouting the call to a redundant center. Such a system is taught by DeVito et al. wherein if a switch or carrier servicing a service center or ACD is inaccessible, as due to a network fault, the caller is routed to an alternate service center, read as the claimed auxiliary service center. (Abstract, Col. 1, lines 30 – 61, Col. 2, lines 8 – 17 and Col. 2, line 55 – Col. 3, line 17, Col. 3, lines 33 – 41)

It would have been obvious for one of ordinary skill in the art to have combined the teachings of Kennedy, III et al., Riskin, Fields et al. or Aoyama, and DeVito et al. because the very purpose of DeVito et al. is to employ a method of allowing a call to an

Art Unit: 2642

inaccessible ACD system, such as those taught by Kennedy and Riskin, to be routed to an alternative ACD system.

5. Claims 8, 14 – 16, 27 – 30, 38, and 44 – 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,405,033 (Kennedy, III et al.), US 4,757,267 (Riskin), US 4,839,916 (Fields et al.) and/or US 5,838,767 (Aoyama), and further in view of US 2002/0076031 (Falcon et al.)

As to claims 8 and 38, Kennedy et al., Riskin, Fields, and Aoyama have been discussed above.

What they do not teach is status information including abandoned calls.

However, it is old and well known in the call center arts to address the issue of abandoned calls as taught by Falcon et al. (P. 1, ¶ 0002) Falcon et al. also teaches a system for connecting a caller making a service request to any number of agents, remote or local, servicing a plurality of call centers, taking and storing caller information such as past caller history which would include any calls abandoned by a caller. (P. 3, ¶ 0025, 0028, 0029 of Falcon et al.)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have incorporated such information in the combination of Kennedy et al. and Riskin inasmuch as this is common problem, and because it is also old and well known for service centers to provide a higher priority to a caller who previously abandoned a call in hopes of gaining their business and lessening a caller's frustration at having to abandon their call.

- Art Unit: 2642

Furthermore, as already discussed above, Riskin teaches handling and recording call information/status such as no answer/busy calls which could be likened to an abandoned call inasmuch as Riskin teaches giving a caller the option to try their call again later. (Col. 19, lines 33 – 35 of Riskin)

Also, Kennedy et al. teaches considering call status such as priority status for emergency calls, for example, wherein a call having emergency priority status will receive expedited service. (Col. 11, lines 4 – 21 of Kennedy et al.)

Falcon et al. also teaches utilizing call status to properly route a call to the appropriate agent/call center. (P. 4, ¶ 0041 of Falcon et al.)

As to claims 14-16, 29, 30, and 44-46, Falcon et al. also teaches distinguishing between residential lines and business lines, as well as providing ISDN and ADSL service. (P. 3, ¶ 0025 and P. 4, ¶ 0039)

Note that Kennedy et al., Riskin, and Falcon et al. are not limited by the services and/or types of services that may be offered and in fact, contemplate their systems being used for almost any service. Again, such is merely a design and preference choice. Therefore, requesting residential or business service would be obvious and is also old and well known as a distinction when requesting service – hence the distinction discussed above re: Falcon et al. Also, because ISDN and ADSL are well known protocols and configurations as taught by Falcon et al., such would also be obvious as a service type. Even applicant's claims suggest this flexibility and interchangeability between the services/service types.

Art Unit: 2642

As to claims 27 and 28, Kennedy teaches diagnostic testing of any and all components or related system elements as well as testing to verify proper communications between mobile unit 12 and NSC 14. (Col. 9, line 49 – Col. 10, line 11 and Col. 19, lines 22 – 42 of Kennedy et al.) See also the rejection of claim 1.

Response to Arguments

6. Applicant's arguments with respect to claims 1 – 18 and 20 - 46 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hector A. Agdeppa whose telephone number is 703-305-1844. The examiner can normally be reached on Mon thru Fri 9:30am - 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ahmad F. Matar can be reached on 703-305-4731. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2642

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hector A. Agdeppa Examiner Art Unit 2642

H.A.A. March 4, 2005 HECTOR A. AGDEPPA PATENT EXAMINER